

CONTENTS

	PAGE
Environmental Factors Influencing the Activity of Soil Fungi. <i>David Augustus Coleman</i>	1
The Effect of Some Manganese Salts on Ammonification and Nitrification. <i>P. E. Brown and G. A. Minges</i>	67
Preliminary Investigations in Comparison of Field with Laboratory Experiments in Soil Biology. <i>George P. Koch</i>	87
A Study of the Action of Carbon Black and Similar Absorbing Materials in Soils. <i>J. J. Skinner and J. H. Beattie</i>	93
Soil Fungi and their Activities. <i>Selman A. Waksman</i>	103
Sources of Error in Soil Bacteriological Analysis. <i>H. Clay Lint and David A. Coleman</i>	157
Studies on the Activity of Soil Protozoa. <i>George P. Koch</i>	163
Azotobacter in Hawaiian Soils. <i>P. S. Burgess</i>	183
The Effect of Time and Depth of Cultivating a Wheat Seed-Bed upon Bacterial Activity in the Soil. <i>P. L. Gainey</i>	193
Sulfur on Alkali Soils. <i>Jacob G. Lipman</i>	205
Physiological Balance of Nutrient Solutions for Plants in Sand Cultures. <i>Arthur G. McCall</i>	207
Some Bacteriological Studies on Agar Agar. <i>Carl Raymond Fellers</i>	255
The Organic Phosphorus of Soil. <i>R. S. Potter and T. H. Benton</i>	291
Does Vanadium Interfere with the Determination of Phosphorus in Soils when the Phosphorous is Weighed as Magnesium Pyrophosphate? <i>Ross Aiken Gortner and William M. Shaw</i>	299
Factors Affecting the Absorption and Distribution of Ammonia Applied to Soils. <i>R. C. Cook</i>	305
The Nitric Nitrogen Content of the Country Rock. <i>Robert Stewart and William Peterson</i>	345
Protozoa, as Affecting Bacterial Activities in the Soil. <i>Selman A. Waksman</i>	363
The Loess Soils of the Nebraska Portion of the Transition Region: V. The Water-Soluble Constituents. <i>Fred W. Upson and J. W. Calvin</i>	377
On the Distribution of Phosphorus in a Vertical Section of Blue-grass Soil. <i>Alfred M. Peter</i>	387
The Organic Matter of the Soil: I. Some Data on Humus, Humus Carbon and Humus Nitrogen. <i>Ross Aiken Gortner</i>	395
The Influence of Salts on the Bacterial Activities of the Soil. <i>J. E. Greaves</i>	443
On the Nature of Ammonification and Nitrification. <i>K. Miyake</i>	481
The Vertical Distribution of Phosphorus in the Surface Soil of Prairies. <i>Frederick J. Alway and Clayton O. Rost</i>	493

311559

	PAGE
Sulfur Oxidation in Soils and its Effect on the Availability of Mineral Phosphates. <i>Jacob G. Lipman, Harry C. McLean and H. Clay Lint</i>	499
The Organic Matter of the Soil: II. A Study of Carbon and Nitrogen in Seventeen Successive Extracts; With Some Observations on the Nature of Black Pigment of the Soil. <i>Ross Aiken Gortner</i>	539
Ferrification in Soils. <i>P. E. Brown and G. E. Corson</i>	549
A Vegetation Experiment on the Availability of Nitrogenous Fertilizers in an Arid Soil. <i>C. B. Lipman and W. F. Gericke</i>	575
The Influence of Various Cations upon the Rate of Absorption of Ammonium Ion by Soil. <i>K. Miyake</i>	583

ILLUSTRATIONS

PLATES

	PAGE
A STUDY OF THE ACTION OF CARBON BLACK AND SIMILAR ABSORBING MATERIALS IN SOILS	
PLATE I. Fig. 1.—Effect of carbon black in a poor soil on cowpeas. (No. 1 check, No. 2 carbon black buried in the soil in a porous cup). Fig. 2.—Effect of carbon black in a poor grass soil on clover. (No. 1 check, No. 2 carbon black buried in the soil in a porous cup.).....	102
PLATE II. Fig. 1.—Effect of carbon in porous jars buried in a poor garden soil, on string beans grown on the greenhouse bench. (Bed on left contains jars filled with soil; bed on right contains jars filled with carbon black). Fig. 2.—Effect of carbon black in porous jars in a soil to which vanillin was added, on string beans grown on the greenhouse bench. (Bed on left contains jars filled with soil; bed on right contains jars filled with carbon black.)	102
PLATE III. Fig. 1.—Effect of carbon black in porous jars in a soil to which salicylic aldehyde was added, on string beans grown on a greenhouse bench. (Bed on left contains porous jars filled with soils; bed on right contains porous jars filled with carbon). Fig. 2.—Effect of chalk in porous jars buried in the soil in the field, on cowpeas. (Jars filled with chalk under the three rows to the left; no chalk under the three rows on the right).	102

SOIL FUNGI AND THEIR ACTIVITIES

PLATE I. Fig. 1.— <i>Absidia Orchidis</i> . Different types of branching of the sporangiophore (x 104). Fig. 2.— <i>Absidia Orchidis</i> . Types of columellae (x 600). Fig. 3.— <i>Absidia Orchidis</i> . Spores (x 1200). Fig. 4.— <i>Mucor botryoides</i> . Branching of sporangiophore, carrying columellae (x 600). Fig. 5.— <i>Mucor botryoides</i> . Spores (x 1200). Fig. 6 a-b.— <i>Mucor saturninus</i> . Sporangiophores (x 200). Fig. 7.— <i>Mucor saturninus</i> . Columella (x 300). Fig. 8.— <i>Mucor saturninus</i> . Spore (x 1200). Fig. 9 a-b.— <i>Mucor</i> sp. (C. 44). Sporangiophores straight and curved type (x 104). Fig. 10.— <i>Mucor</i> sp. (C. 44). Columellae of the straight and curved type of sporangiophores (x 1200). Fig. 11.— <i>Mucor</i> sp. (C. 44). Spores (x 1200). Fig. 12.— <i>Mucor</i> sp. (D. 28). Columellae (x 600). Fig. 13.— <i>Mucor</i> sp. (D. 28). Spores (x 1200). Fig. 14.— <i>Mucor</i> sp. (D. 28). Portion of mycelium, showing oil globules and chlamydospores (x 600).	156
PLATE II. Fig. 1.— <i>Mucor Glomerula</i> . Branching of Sporangiophores (x 60). Fig. 2.— <i>Mucor Glomerula</i> . Sporangia (x 310). Fig. 3.— <i>Mucor Glomerula</i> Columellae (x 310). Fig. 4.— <i>Mucor circinelloides</i> . Sporangiophores branched sympodially (x 60). Fig. 5.— <i>Mucor circinelloides</i> . Portion of mycelium, showing chlamydospores (x 310). Fig. 6.— <i>Mucor circinelloides</i> . Spores (x 1200). Fig. 7.— <i>Mucor hiemalis</i> . Sporangium (x 310). Fig. 8.— <i>Mucor hiemalis</i> . Columellae (x 310). Fig. 9.— <i>Mucor hiemalis</i> . Spores (x 1200). Fig. 10.— <i>Mucor plumbeus</i> , showing branching of sporangiophores, 10 c, showing one sporangium and two columellae (x 310).	

Fig. 11.—*Mucor plumbeus*. Portions of sporangiophore bearing a sessile sporangium (x 310). Fig. 12.—*Mucor plumbeus*. Spores (x 600). Fig. 13.—a-p.—*Mucor plumbeus*. Types of columellae (x 600). a, o, p from Strain I; b, c, g, h from Strain IV; e, f, d from Strain (C. 20); i, m, n from Strain (D. 23); j, k from Strain (C. 22).....

156

PLATE III. Fig. 1 a, b, c.—*Zygorhynchus Vuilleminii*. Formation of zygo-spores (x 310). Fig. 2.—*Zygorhynchus Vuilleminii*. Portion of sporangiophore, showing ripe sporangium and zygospore (x 600). Fig. 3.—*Zygorhynchus Vuilleminii*. Branching of sporangiophore (x 600). Fig. 4.—*Zygorhynchus Vuilleminii*. Portion of mycelium showing chlamydospores (x 310). Fig. 5.—*Zygorhynchus Vuilleminii* Spores (x 1200). Fig. 6.—*Monilia humicola*. Portions of conidiiferous branches showing formation of conidia (x 600). Fig. 7.—*Aspergillus*, sp. (C. 19). Vegetative hyphae and conidiophores (x 310). Fig. 8.—*Aspergillus* sp. (C. 19). Greatly enlarged swelling of conidiophore showing sterigmata and conidia (x 1200)

156

PLATE IV. Fig. 1.—*Aspergillus calytratus*. Portion of conidiophore showing swelling, sterigmata, and conidia (x 1200). Fig. 2.—*Aspergillus calytratus*. Conidial fructifications (x 104). Fig. 3.—*Aspergillus repens* (from raisin agar). A portion of the mycelial surface with perithecia and conidiophores (x 104). Fig. 4.—*Aspergillus repens*. Conidial swelling with sterigmata (x 600). Fig. 5.—*Aspergillus repens*. Conidia (x 1200). Fig. 6.—*Aspergillus repens*. Asci contains the ascospores also free ascospore (x 1200). Fig. 7.—*Scopulariopsis brevicule* (n. var. ?) Conidiophores with conidial chains of smooth spores (x 600). Fig. 8.—*Scopulariopsis brevicule* (n. var. ?) Echinulate spores (x 600). Fig. 9.—*Penicillium glaber*. Portions of conidiophores showing sterigmata and spores (x 600). Fig. 10.—*Penicillium desiscens*. Portion of conidiophore magnified (x 600). Fig. 11.—*Penicillium desiscens*. Highly magnified portion of conidiophore to show sterigmata (x 1200). Fig. 12.—*Penicillium desiscens*. Spores (x 1200). Fig. 13.—*Oidium* sp. (A. 30). The breaking of the hyphae into oidia (x 570). Fig. 14.—*Oidium lactis*. Hyphae and abundant formation of side branches, resulting in the formation of oidia (x 310). Fig. 15.—*Cephalosporium* sp. (D. 32). Formation of conidial heads at the tip of the branches or on the main hyphae (x 600).....

156

PLATE V. Fig. 1.—*Cephalosporium* sp. (G. 23). Branching of conidiophore and formation of heads of conidia at the tip of the branches (x 310). Fig. 2.—*Cephalosporium* sp. (G. 23). Spores (x 1200). Fig. 3.—*Cephalosporium* (n. sp. ?) (C. 56). Branching of sporangiophore and the grouping of spores into heads (x 600). Fig. 4.—*Cephalosporium* (n. sp. ?) (C. 56). Branching of conidiophore, showing heads of spores surrounded by slime in heads (x 600). Fig. 5.—*Cephalosporium* (n. sp. ?) (C. 56). Spores (x 1200). Fig. 6.—*Zygodesmus* sp. Portion of mycelium with side branches carrying spores (x 104). Fig. 7.—*Zygodesmus* sp. Tips of the branches of the conidiophore, surrounded by spores (x 600). Fig. 8.—*Zygodesmus* sp. Three spores of the major strain Oc (x 1200). Fig. 9.—*Zygodesmus* sp. Four spores of the minor strain B (x 1200). Fig. 10.—*Coniothyrium Fuckelii* (?) Pycnidium surrounded by mycelium (x 60). Fig. 11.—*Coniothyrium Fuckelii* (?) Portion of mycelium (x 310). Fig. 12.—*Coniothyrium Fuckelii* (?) Spores (x 600.) Fig. 12.—*Coniothyrium Fuckelii* (?) Spores (x 600). Fig. 13.—*Cladosporium epiphyllum*. Portion of fruiting hyphae and fructifications.....

156

ILLUSTRATIONS

vii

	PAGE
PHYSIOLOGICAL BALANCE OF NUTRIENT SOLUTIONS FOR PLANTS IN SAND CULTURES	
PLATE I. Wheat cultures about 20 days old, showing form of pot and arrangement for renewing the solutions.....	253
SOME BACTERIOLOGICAL STUDIES ON AGAR AGAR	
PLATE I. Plates showing the effect of concentration of agar in media on bacterial counts, Soil I.....	290
PLATE II. Plates showing the effect of concentration of agar in media on bacterial counts, Soil II.....	290
PLATE III. Plates showing the effect of concentration of agar in media on bacterial counts, Soil IV.....	290
PLATE IV. Fig. 1.—Growth of <i>B. Subtilis</i> on media of different reactions. Fig. 2.—Plates showing the effect of sterilization of media at different pressures on bacterial counts, Soil I, Medium II, (Synthetic). No. 1, Boiling Water. No. 2, 1 Atmosphere. No. 3, 2 Atmospheres. No. 4, 3 Atmospheres	290
PLATE V. Plates showing the effect of sterilization of media at different pressures on bacterial counts. Fig. 1.—Water III, Medium 1 (Peptone). No. 1, Boiling Water. No. 2, 1 Atmosphere. No. 3, 2 Atmospheres. No. 4, 3 Atmospheres. Fig. 2.—Water III, Medium II (Synthetic). No. 1, Boiling Water. No. 2, 1 Atmosphere. No. 3, 2 Atmospheres. No. 4, 3 Atmospheres	290
THE NITRIC NITROGEN CONTENT OF THE COUNTRY ROCK	
PLATE I. Fig. 1.—Photograph of typical clay hill north of St. George, Utah, from which samples of shale were taken. Fig. 2.—Photograph taken in the shale hills northeast of Grand Junction, Colorado, showing the character of the exposed material, the nature of the weathering and the character of the native vegetation	362
THE ORGANIC MATTER OF THE SOIL: I. SOME DATA ON HUMUS, HUMUS CARBON AND HUMUS NITROGEN	
PLATE I. Fig. 1.—Showing the relative intensity of coloration per unit weight of organic carbon in the different extracts from Fargo clay loam. Each tube contained 0.0042 gm. organic carbon per 50 c.c. volume. Fig. 2.—Showing the relative intensity of coloration per unit weight of organic carbon in the different extracts from Fargo silt loam. Each tube contained 0.0046 gm. organic carbon per 50 c.c. volume	442
PLATE II. Fig. 1.—Showing the relative intensity of coloration per unit weight of organic carbon in the different extracts from prairie-covered loess. Each tube contained 0.0046 gm. organic carbon per 50 c.c. volume. Fig. 2.—Showing the relative intensity of coloration per unit weight of organic carbon in the different extracts from Berkeley adobe. Each tube contained 0.0030 gm. organic carbon per 50 c.c. volume.....	442

TEXT FIGURES

	PAGE
ENVIRONMENTAL FACTORS INFLUENCING THE ACTIVITY OF SOIL FUNGI	
Fig. 1. Diagram showing the influence of organic matter on the activity of soil fungi	9
2. Diagram showing the influence of organic matter on the activities of soil fungi	15
3. Diagram showing the influence of temperature on the activities of soil fungi	39
4. Diagram showing the influence of temperature on the activities of soil fungi	43
5. Diagram showing the associative action of <i>B. subtilis</i> and <i>Zygorhynchus Vuilleminii</i>	47
6. Diagram showing the influence of moisture on the associative activities of <i>B. Subtilis</i> and <i>Zygorhynchus Vuilleminii</i>	50
7. Diagram showing the influence of moisture on the associative activities of <i>B. subtilis</i> and <i>Zygorhynchus Vuilleminii</i>	52
8. Diagram showing the influence of moisture on the associative activities of <i>B. subtilis</i> and <i>Zygorhynchus Vuilleminii</i>	54
9. Diagram showing the influence of temperature on the associative activities of <i>B. subtilis</i> and <i>Zygorhynchus Vuilleminii</i>	57
10. Diagram showing the influence of temperature on the associative activities of <i>B. subtilis</i> and <i>Zygorhynchus Vuilleminii</i>	58
PRELIMINARY INVESTIGATIONS IN COMPARISON OF FIELD WITH LABORATORY EXPERIMENTS IN SOIL BIOLOGY	
Fig. 1. Diagram of plot containing 33 areas used in comparing field and laboratory experiments in soil biology. Areas are 6 inches square and 4 inches deep, and are placed 18 inches apart.	88
SOURCES OF ERROR IN SOIL BACTERIOLOGICAL ANALYSIS	
Fig. 1. Diagram of apparatus used for mixing soil.	160
STUDIES ON THE ACTIVITY OF SOIL PROTOZOA	
Fig. 1. Diagram of apparatus used for separating protozoa from bacteria.	178
EFFECT OF TIME AND DEPTH OF CULTIVATING A WHEAT SEED-BED UPON BACTERIAL ACTIVITY IN THE SOIL	
Fig. 1. Diagram showing NO ₃ accumulation in soil from different depths.	198
2. Diagram showing the effect of varying water content upon NO ₃ formation in soil from experiment field	201
3. Diagram showing the relation between available water and NO ₃ content under field conditions, 1911.	202
4. Diagram showing the relation between available water and NO ₃ content under field conditions, 1913.	203
PHYSIOLOGICAL BALANCE OF NUTRIENT SOLUTIONS FOR PLANTS IN SAND CULTURES	
Fig. 1. Dry weights of wheat grown for 20 days in sand cultures, with a three-salt solution varying from 0.1 atmosphere to 5.0 atmospheres total osmotic concentration	217

ILLUSTRATIONS

ix

	PAGE
Fig. 2. Triangular diagram showing the arrangement of the sand cultures with respect to the partial concentration of the three salts employed.	225
Fig. 3. Triangular diagrams showing areas of high and low yield of tops.	228
Fig. 4. Relative dry weights of cultures grown in sand and in solution cultures of sub-optimal and of optimal total concentrations.	230
Fig. 5. Triangular diagram showing areas of high and of low yield of roots.	233
Fig. 6. Relative transpiration and dry weight of tops and of roots of wheat grown in sand cultures for a period of 24 days.	240
Fig. 7. The water-requirement for the entire plant, for dry weight of tops and for dry weight of roots.	243
Fig. 8. Areas of high and of low water-requirement values. The figures give the absolute values for 18 selected cultures.	244

SOME BACTERIOLOGICAL STUDIES ON AGAR AGAR

Fig. 1. Diagram showing the effect of agar concentration on bacterial counts.	264
Fig. 2. Diagram showing the influence of reaction of media on bacterial counts (Series I).	269
3. Diagram showing the influence of reaction of media on bacterial counts (Series II)	271
4. Diagram showing the influence of reaction of media on counts of soil fungi	274
5. Diagram showing the influence of sterilization at different temperatures on bacterial counts	277
6. Diagram showing the correlation of moisture loss and acidity increase	281
7. Diagram showing the deterioration of media on storage.	283

FACTORS AFFECTING THE ABSORPTION AND DISTRIBUTION OF AMMONIA APPLIED TO SOILS

Fig. 1. Diagram showing the effect of CaO and K ₂ SO ₄ upon the absorption of ammonia.	318
3. Diagram showing the effect of increased amounts of CaO upon the absorption of ammonia	320
3. Diagram showing the effect of reaction of solution upon the absorption of ammonia	321
4. Diagram showing the effect of moisture upon the vertical distribution of ammonia	331
5. Diagram showing the vertical distribution of ammonia applied to soils	333
6. Diagram showing the effect of CaO, CaCO ₃ , K ₂ SO ₄ and acid phosphate upon the vertical distribution of applied ammonia (Soils I, II and III)	338
7. Diagram showing the effect of CaO, CaO ₃ , K ₂ SO ₄ and acid phosphate upon the vertical distribution of applied ammonia (Soils IV, V and VI)	339

THE LOESS SOILS OF THE NEBRASKA PORTION OF THE TRANSITION REGION V. THE WATER-SOLUBLE CONSTITUENTS

Fig. 1. Map of Nebraska showing distribution of the loess, precipitation belts, the altitude and the locations of the fields sampled.	377
--	-----

	PAGE
ON THE DISTRIBUTION OF PHOSPHORUS IN A VERTICAL SECTION OF BLUEGRASS SOIL	
Fig. 1. Phosphorus in soil sections, Experiment Station Farm, Lexington, Ky.	390
2. Hypothetical section of limestone with the corresponding soil....	391
THE ORGANIC MATTER OF THE SOIL: I. SOME DATA ON HUMUS, HUMUS CARBON AND HUMUS NITROGEN	
Fig. 1. Apparatus for the determination of organic carbon by wet combustion	401
2. A graphic representation of the data on Fargo clay loam as given in Tables III and XXI.....	417
3. A graphic representation of the data on Fargo silt loam as given in Tables IV and XXI	417
4. A graphic representation of the data on Carrington silt loam as given in Tables V and XXI.....	418
5. A graphic representation of the data on prairie-covered loess as given in Tables VI and XXI.....	418
6. A graphic representation of the data on forest-covered loess as given in Tables VII and XXI	418
7. A graphic representation of the data on Berkeley adobe as given in Tables VIII and XXI.....	418
8. A graphic representation of the data on Hempstead silt loam as given in Tables IX and XXI.....	419
9. A graphic representation of the data on Marshall silt loam as given in Tables X and XXI.....	419
10. A graphic representation of the average data for the eight soils as given in Tables XIX and XXI.....	420
11. A graphic representation of the data on the acid muck soil as given in Tables XI and XXI.....	421
12. A graphic representation of the data on sphagnum-covered peat as given in Tables XII and XXI.....	421
13. A graphic representation of the data on calcareous black peat as given in Tables XIII and XXI.....	421
14. A graphic representation of the data on acid brown peat as given in Tables XIV and XXI.....	421
15. A graphic representation of the data on grass from brown peat bog as given in Tables XV and XXI.....	422
16. A graphic representation of the data on the ripe oat plant as given in Tables XVI and XXI	422
17. A graphic representation of the average of the determinations given in Table XXXIII.....	435
THE INFLUENCE OF SALTS ON THE BACTERIAL ACTIVITIES OF THE SOIL	
Fig. 1. The upper graph represents the molecular concentrations at which the highest stimulation is noted. . . The lower graph shows the percentage of stimulation at the above-noted molecular concentrations, the untreated soil being counted as producing 100 per cent of ammonia	472

ILLUSTRATIONS

xi

	PAGE
2. Diagram showing the molecular concentrations at which the various salts are toxic to ammonification	473
3. Diagram showing the molecular concentrations which reduce the ammonia produced to three-fourths normal	473
4. Diagram showing the percentages of ammonia produced in 100 gm. of soil to which had been added 10×10^{-8} molecules of the various salts, untreated soil being counted as producing 100 per cent...	474
ON THE NATURE OF AMMONIFICATION AND NITRIFICATION	
Fig. 1. Diagram showing a comparison of the amount of ammonia nitrogen found with that calculated by formula.....	486
SULFUR OXIDATION IN SOILS AND ITS EFFECT ON THE AVAILABILITY OF MINERAL PHOSPHATES	
Fig. 1. Curves showing the citrate-soluble phosphoric acid in the com- posts during a period of 30 weeks.....	517
2. Curves showing the citrate-soluble P_2O_5 and SO_4 found in the com- posts made up with the sand during a period of 30 weeks.....	525
3. Curves showing the citrate-soluble P_2O_5 and SO_4 found in the com- posts made up with greenhouse soil during a period of 30 weeks.....	526
4. Curves showing the citrate-soluble P_2O_5 and SO_4 found in the com- posts made up with Sassafras loam soil during a period of 30 weeks	527
5. Curves showing the influence of moisture content on the availability of phosphorus and acidity: length of incubation period 6 weeks.....	532
THE ORGANIC MATTER OF THE SOIL: II. A STUDY OF CARBON AND NITRO- GEN IN SEVENTEEN SUCCESSIVE EXTRACTS; WITH SOME OBSERVA- TIONS ON THE NATURE OF THE BLACK PIGMENT OF THE SOIL	
Fig. 1. A graphic representation of the data in Table II.....	545
FERRIFICATION IN SOILS	
Fig. 1. Diagram of apparatus used in Method I.....	555
2. Diagram of apparatus used in Method II.....	555
3. Diagram of apparatus used in Method IV.....	555
4. Diagram of apparatus used in Method VI.....	560
5. Diagram of apparatus used in Method VIII.....	560
6. Diagram of apparatus used in Method X.....	560
7. Diagram showing ferrification and deferrification in solutions....	566
8. Diagram showing ferrification and deferrification in sand	568

ERRATA

VOLUME I

- Page 163, line 6 from foot of page, " CO_2 " should read " SO_2 ".
- Page 392, Table VI, heading of first column, "Incr. 1 c.c. over 2.0 c.c." should read "Incr. 1 c.c. over 0.2 c.c."; heading of second column "Incr. 1 c.c. over 1.0 c.c." should read "Incr. 5 c.c. over 1 c.c."; heading of third column "Incr. .5 c.c. over 0.2 c.c." should read "Incr. 1 c.c. over 0.2 c.c."
- Page 505-508. "A Rapid Method for the Estimation of Calcium Oxide in Peat Soils," by R. A. Gortner. For index references, see Index of Vol. II.
- Page 541, line 11 from bottom, "Oudenmans" should read "Oudemans."
- Page 571, lines 6 and 7. "The effect of reaction on ammonification by these fungi is more pronounced in clay than in sandy soil" should read "The effect of reaction on ammonification by these fungi is more pronounced in sandy than in clay soil."

VOLUME II

- Page 2, line 15, "Oudmann" should read "Oudemans."
- Page 63, reference 9, "Keimghalt" should read "Keimgehalt."
- Page 64, reference 13, "Denitrifikationsbakterien" should read "Denitrifikationsbakterien."
- Page 102, legend for Plate I, figure 2, "or" should read "on."
- Page following page 102, legend for Plate II, figure 2, "bed on right" should read "bed on left," and "bed on left" should read "bed on right."
- Page 112, line 2, "48 per cent of iron" should read "48 per cent of Fe_2O_3 ".
- Page 112, line 22, "indentification" should read "identification."
- Page 118, line 2 in table, "*Peicillium atramentasum*" should read "*Penicillium atramentosum*."
- Page 118, line 17 from foot of table, "*Dematium pullulans*" should read "*Dematium pullulans*."
- Page 129, line 15 from foot of page, "Tukal" should read "Zukal."
- Page 131, line 10, "medicum" should read "medium."
- Page 135, line 13 from foot of page, "*cinnabarimus*" should read "*cinnabarinus*."
- Page 137, line 22, "*pullulans*" should read "*pullulans*."
- Page 144, line 3 from foot of table, "*roscum*" should read "*roscum*."
- Page 144, last line in table, "*pullulans*" should read "*pullulans*."
- Page following page 156, legend for Plate IV, fig. 3, "canidiophores" should read "conidiophores."
- Page following page 156, legend for Plate V, fig. 11, "Fuckii" should read "Fückelii."
- Page 167, line 12, "hard" should read "hand."
- Page 217, line 3, "3.0" should read "3.5."
- Page 217, figure 1, "atmosphes" should read "atmospheres."
- Page 221, line 24, "1 tenth" should read "2 tenths."
- Page 221, line 25, "2 tenths" should read "1 tenth."
- Page 225, figure 2, "calci m" should read "calcium."
- Page 230, figure 4, lettering across foot of cut should read: upper line, "R, R 2, R 3, R 4, R 5, R 6, R 7, R 8," and lower line "C 1, C 2, C 3, C 4, C 5, C 6, C 7, C 8, C 1, C 2, C 3, C 4, C 5, C 6, C 7, C 1, C 2, C 3, C 4, C 5, C 6, C 1, C 2, C 3, C 4, C 5, C 1, C 2, C 3, C 4, C 1, C 2, C 3, C 1, C 2, C 1."
- Page 245, footnote, next to last line, "MgO" should read "Mg."
- Page 248, line 28, insert "ratio" after "calcium-magnesium"
- Page 252, reference 28, "Oesterhout" should read "Osterhout."
- Page 258, line 17, "*Bacillus Rutida*" should read "*Bacillus Putida*."
- Page 265, add footnote: "Per cent acidities are represented in terms of normal, rather than concentrated acid."
- Page 266, line 11, "Stömer" should read "Störmer."
- Page 271, figure 3, legend, add "(Series 2)."
- Page 338, figure 6, legend, " CaO_3 " should read " CaCO_3 ".
- Page 411, Table VII, third entry, "Carbonate CO" should read "Carbonate CO_2 ".
- Page 437, footnote, line 19, "soils" should read "soils."
- Page 481, line 25, equation (2) "a" should read "a".
- | | |
|--------|--------|
| 5.56 | 5.55 |
| 184.27 | 184.28 |
- Page 485, line 2, "log —" should read "log —".
- Page 488, line 9, two lines following Table III should immediately precede the table.
- Page 496, line 3, "phosporus" should read "phosphorus."

